



**The impact of Stress and Anxiety on the
neurocognitive performance of
Australian Nurses:**

**An electroencephalographic and
psychometric assessment**

**Ty Lees
BMedSci (Hons)**

July 2018

Principal Supervisor: Associate Professor Sara Lal (UTS)
Co-supervisors: Professor Phillip Newton (WSU)
Doctor Najah Nassif (UTS)

Submitted in partial fulfilment of the requirements for the degree of Doctor of Philosophy
(Science) at the University of Technology Sydney.

I. Declaration

I certify that the work in this thesis has not been previously submitted for a degree nor has it been submitted as part of requirements for a degree except as fully acknowledged within the text.

I also certify that the thesis has been written by me. Any help that I have received in my research work and the preparation of the thesis itself has been acknowledged. In addition, I certify that all information sources and literature used are indicated in the thesis.

Production Note:
Signature removed prior
to publication.

Signature: _____ Date: 12/07/2018

Ty Lees

This research was supported by an Australian Government Research Training Program Scholarship.

II. Acknowledgements

Firstly, I would like to thank my principal supervisor, Associate Professor Sara Lal; for without her I would not have had the opportunity to complete my PhD or experience the world of academia and the associated highs and lows. Truthfully, your guidance and support has been invaluable during the course of my candidature and without it and your enthusiasm for research, my path would have been much more difficult, and less successful. I must also thank my co-supervisors, Professor Phillip Newton and Dr Najah Nassif, your feedback, input, and often alternate perspectives into all aspects of my research was incredibly helpful and often helped resolve issues I was challenged by.

Before I continue, I have to express my deepest gratitude to my partner, Maisie Cao, who has been my time away from my experiments, papers and thesis. Your innumerable kindnesses, sacrifices, company, complete selflessness and support has allowed me to complete this work, and I am immensely indebted to you.

Next, I want to thank Dr Rami Khushaba, for his tutelage in analysis and Matlab coding, as well as his patience in answering my multitude of questions; and Dr Budi Jap for providing me the software utilised in processing my data, and instruction in its usage. Further, I must also thank my friends and colleagues in the Neuroscience Research Unit at UTS; your presence to discuss ideas, and words of encouragement were most appreciated. In particular, I want to thank George Kalatzis and Shamona Maharaj, for without their kindness in sharing data, this project would not be as nearly complete

My earnest thanks go to all of my participants, be they strangers, friends or colleagues, without you this research would not have been possible. Additionally, the NSW Nurse

& Midwives association, particularly the staff at NurseUncut, also have my gratitude for advertising my project.

To my family and friends, thank you. Your support, words of wisdom, understanding, and willingness to participate in my research or facilitate recruitment where you could, all helped immeasurably.

Additionally, I need to acknowledge the support I was provided by the Australian government in the form of the Australian Postgraduate Award, which later became the Australian Government Research Training Program.

Finally, I would like to thank my reviewers for their time in reading my thesis, and for the feedback that they provided. It helped shaped a stronger and more robust piece of work.

III. Publications and Presentations

Publications relevant to thesis

Journal Articles

1. Maharaj, S., Lees, T., and Lal, S., 2018. Negative Mental States and Their Association to the Cognitive Function of Nurses. *Journal of Psychophysiology*, doi: 10.1027/0269-8803/a000223
2. Lees, T., and Lal, S., 2017. Stress and its impact on the cognitive performance of Australian nurses. *Stress and Health*, **33**(1), 45-54 doi: 10.1002/smi.2672
3. Lees, T., Khushaba, R., and Lal, S., 2016. Electroencephalogram Associations to Cognitive Performance in Clinically Active Nurses. *Physiological Measurement*, **37**(7):968-980, doi: 10.1088/0967-3334/37/7/968

Conference Abstracts

1. Lees, T., Kalatzis, G., and Lal, S., 2015. Examining negative mental states and their association to psychometric and electroencephalographic measures of cognitive performance in Australian Nurses. *Psychophysiology*, **52**(S24), doi: 10.1111/psyp.12495
2. Lees, T., Maharaj, S., and Lal, S., 2015. Electroencephalographic markers of subjective cognitive performance: Implications towards electrophysiological prediction of early cognitive decline. *Frontiers in Human Neuroscience*. doi: 10.3389/conf.fnhum.2015.219.00057

Invited Presentations

1. Lees, T., Stress and Cognitive Performance in Nurses: An example of research in the NRU. Oral Presentation: Warfighter Effectiveness Research Centre (WERC) United States Airforce Academy Brownbag 2015, Colorado Springs, USA.

Conference Presentations

1. Lees, T., Maharaj, S., Kalatzis, G., Nassif, N., Newton, P, and Lal, S. The neurocognitive relationship between stress and anxiety, and memory and decision making performance of Australian Nurses. Poster presentation: 58th

Annual meeting of the Society for Psychophysiological Research 2018, Quebec City, Canada

2. Maharaj, S., **Lees, T.**, Zaslawski, C., Fatima-Shad, K., and Lal, S. Assessing the link between negative mental states and cognitive performance in health professionals. Poster Presentation: 2017 Australasian Cognitive Neuroscience Society (ACNS) Conference, Adelaide, Australia.
3. Maharaj, S., **Lees, T.**, and Lal, S., Electroencephalographic changes in beta & gamma reactivity associated with cognitive performance. Poster Presentation: Inter-University Neuroscience & Mental Health Conference 2016, Sydney, Australia
4. **Lees, T.**, Kalatzis, G., and Lal, S. Examining negative mental states and their association to psychometric and electroencephalographic measures of cognitive performance in Australian Nurses. Poster presentation: 55th Annual meeting of the Society for Psychophysiological Research 2015. Seattle, USA
5. **Lees, T.**, Maharaj, S., and Lal, S. Electroencephalographic markers of subjective cognitive performance: Implications towards electrophysiological prediction of early cognitive decline. Oral Presentation: 25th Annual Conference of the Australasian Society for Psychophysiology 2015, Sydney Australia
6. **Lees, T.**, and Lal, S. Negative mental states, their association to frontal lobe brain activity and the effect coping. Oral Presentation: 2nd Inter-University Neuroscience & Mental Health Conference 2015, Sydney, Australia.
7. Maharaj, S., **Lees, T.**, and Lal, S. Cognitive function associations to mental states in nurses. Poster presentation: 32nd Combined Health Science Conference; New Horizons 2015, Sydney, Australia.
8. Kalatzis, G., **Lees, T.**, Nassif, N., and Lal, S. Investigating Cognitive Function in Clinical and Healthy Samples using Electroencephalography and Psychometric Assessment: A Comparative Study. Poster Presentation 32nd Combined Health Science Conference; New Horizons 2015, Sydney, Australia
9. **Lees, T.**, and Lal, S. Electroencephalography and its associations to cognitive performance in nurses: An exploratory assessment. Poster Presentation: 30th Combined Health Science Conference; New Horizons 2013. Sydney, Australia.
10. **Lees, T.**, and Lal, S. Occupational stress and cognitive performance in nurses. Poster Presentation: 29th Combined Health Science Conference; New Horizons 2012. Sydney, Australia.

Other Publications

Journal Articles

1. **Lees, T.**, Shad-Kaneez, F., Simpson, A.M., Nassif, N., Lin, Y., and Lal, S., 2018. Heart rate variability as a biomarker for predicting stroke, post-stroke complications and functionality. *Biomarker Insights* (In press)
2. **Lees, T.**, Nassif, N., Simpson, A.M., Shad-Kaneez, F., Martiniello-Wilks, R., Lin, Y., Jones, A., Qu, X., and Lal, S., 2017. Recent advances in molecular biomarkers for diabetes mellitus: a systematic review. *Biomarkers*, 1-13, doi: 10.1080/1354750X.2017.1279216
3. Rothberg, L.J., **Lees, T.**, Clifton-Bligh, R., and Lal, S., 2016. Associations between heart rate variability and blood glucose levels: implications for non-invasive glucose monitoring. *Diabetes Technology & Therapeutics*, **18**(6):366-376, doi: 10.1089/dia.2016.0010

Reports

1. Lal, S., **Lees, T.**, Elliott, J.L., Rai, T., Gunning, S., and Newton, P., 2015. A review of current evidence about mental disorders and psychological and other wellbeing programs in the law enforcement workplace. Sydney, Australia. Commissioned by the NSW Police Force.

Invited Presentations

1. **Lees, T.**, and Lal, S. Research and collaboration in the Neuroscience Research Unit (NRU). Oral Presentation: Warfighter Effectiveness Research Centre (WERC) United States Airforce Academy Brownbag 2015, Colorado Springs, USA.

Conference Presentations

1. Maharaj, S., **Lees, T.**, Zaslawski, C., Fatima-Shad, K., and Lal, S. The prevalence of depression in a cohort of Australian Nurses. Poster presentation: Inter-University Neuroscience & Mental Health Conference 2017, Sydney, Australia.
2. Kalatzis, G., **Lees, T.**, Nassif, N., Zaslawski, C., and Lal, S. Exploring cognitive function in diabetes and non-diabetes samples using electroencephalography

- (EEG) and psychometric assessment: a comparative study. Oral presentation: 37th Annual Scientific Meeting of the Australasian Neuroscience Society 2017, Sydney, Australia
3. Hopkins, Z., **Lees, T.**, and Lal, S. Cardio vascular and Autonomic Associations to Post-traumatic stress disorder symptomatology. Oral Presentation: Inter-University Neuroscience & Mental Health Conference 2017, Sydney, Australia.
 4. Vine, M., **Lees, T.**, Nassif, N., Simpson, A. M., and Lal, S. Investigating the associations between ADHD symptomology and chronic illness: cardiovascular disease and diabetes mellitus. Poster Presentation: Inter-University Neuroscience & Mental Health Conference 2017, Sydney, Australia.
 5. Kalatzis, G., **Lees, T.**, Nassif, N., Zaslowski, C., and Lal S. Investigating cognitive function in diabetes and healthy samples using electroencephalography (EEG) and psychometric assessment: a comparative study. Oral Presentation: Inter-University Neuroscience & Mental Health Conference 2016, Sydney, Australia
 6. Jarman, L.R., Elliott J.L., **Lees, T.**, Nassif, N., Simpson, A.M., Clifton-Bligh, R., and Lal, S. Associations between heart rate variability and blood glucose levels. Poster presentation: 33rd Combined Health Science Conference; New Horizons 2016, Sydney, Australia.
 7. Ricciardiello, A., Elliott, J.L., **Lees, T.**, and Lal, S. Emotion regulation and stress: physiological assessment. Poster presentation: 33rd Combined Health Science Conference; New Horizons 2016, Sydney, Australia
 8. Gorval, M., **Lees, T.**, Elliott, J.L., Nassif, N., Simpson, A.M., Clifton-Bligh, R., and Lal, S. Investigation of the association between blood glucose levels, anxiety and depression. Poster presentation: 33rd Combined Health Science Conference; New Horizons 2016, Sydney, Australia
 9. Elliott, J., **Lees, T.**, Nassif, N., and Lal, S. Stress and the New South Wales Police Force: The prevalence of various coping mechanisms. 2nd Inter-University Neuroscience & Mental Health Conference 2015, Sydney, Australia.
 10. Kalatzis, G., **Lees, T.**, and Lal, S. Investigating Cognitive Performance in Different Racial Groups: An Exploratory Study Using Electroencephalography and Psychometric Assessment. Poster presentation: 31st Combined Health Science Conference; New Horizons 2014. Sydney, Australia.

11. Elliot, J.L., **Lees, T.**, Nassif, N., and Lal, S. Cardiovascular measures and sleep health associations with shift work in police officers: A physiological assessment. Oral Presentation: 31st Combined Health Science Conference; New Horizons 2014. Sydney, Australia.

IV. Table of Contents

I. Declaration.....	i
II. Acknowledgements	ii
III. Publications and Presentations	iv
IV. Table of Contents.....	ix
V. List of Figures	xiii
VI. List of Tables	xv
VII. List of Equations.....	xxi
VIII. List of Abbreviations.....	xxii
IX. Abstract.....	xxiii
Chapter 1 – Introduction	1
1.1 Health Professionals	1
1.1.1 Classification	2
1.1.2 Health Professionals in Society	3
1.1.3 Stress and Anxiety in the Health Professions	4
1.2 Stress	6
1.2.1 Eustress and Distress	7
1.2.2 Acute and Chronic Stress.....	8
1.2.3 Occupational Stress.....	10
1.2.4 Physiological Basis of Stress	11
1.2.5 Coping with Stress	16
1.2.6 Stress and Cognitive Performance	17
1.3 Anxiety	23
1.3.1 Physiological basis of Anxiety	24
1.3.2 Anxiety and Cognitive Performance.....	24
1.4 Cognition	31
1.4.1 Cognitive Performance	31
1.4.2 Measurements of Cognitive Performance.....	31
1.4.3 Electroencephalographic manifestations of cognitive impairment.....	34
1.5 Basis for Research	41
1.6 Aims	43
1.7 Hypotheses	43
1.8 Significance of Research	44

Chapter 2 – General Methodology	45
2.1 Participant Recruitment	45
2.2 Ethics approval	45
2.3 Participant Selection Criteria.....	46
2.3.1 General requirements	46
2.3.2 Requirements for Nurses	48
2.4 Experimental Protocol	48
2.4.1 Blood Pressure Measurements	48
2.4.2 Pre- Study Questionnaires	49
2.4.3 Electroencephalography.....	52
2.4.4 Cognitive Testing.....	55
2.4.5 Post study Questionnaires	60
2.5 Data Processing	64
2.5.1 Questionnaire & Physiological data	64
2.5.2 Processing of Electroencephalogram data	65
2.6 Statistical Analysis	65
2.6.1 Power analysis & Sample size estimation	66
2.6.2 Dependent & Independent Sample T test	66
2.6.3 Pearson’s Correlation.....	67
2.6.4 Multiple Regression Analysis.....	67
2.6.5 Principal Component Analysis:	68
Chapter 3 – Associations between Stress, Anxiety and Cognitive performance (using a limited EEG montage).....	70
3.1 Introduction	70
3.2 Materials and Methods	72
3.2.1 Study Participants	72
3.2.2 Experimental Protocol	72
3.2.3 Electroencephalogram data collection	73
3.2.4 Electroencephalography Data processing.....	77
3.3 Results	78
3.3.1 Demographics and Comparisons	78
3.3.2 Cognitive Performance	81
3.3.3 Stress.....	89
3.3.4 Anxiety.....	111

3.4 Discussion	121
3.4.1 Demographics	121
3.4.2 Cognitive performance	122
3.4.3 Stress	125
3.4.4 Anxiety	130
3.5 Limitations, Future Directions & Conclusions	135
3.5.1 Limitations	135
3.5.2 Future Directions	136
3.5.3 Conclusions	137
Chapter 4 – Associations between Stress, Anxiety and Cognitive performance (using a full head EEG montage)	139
4.1 Introduction	139
4.2 Materials and Methods	141
4.2.1 Study Participants	141
4.2.2 Experimental Protocol	142
4.2.3 Electroencephalogram data collection	143
4.2.4 Electroencephalogram data processing	146
4.3 Results	148
4.3.1 Demographics & Comparisons	148
4.3.2 Cognitive Performance	151
4.3.3 Stress	166
4.3.4 Anxiety	193
4.4 Discussion	207
4.4.1 Demographics	207
4.4.2 Cognitive performance	208
4.4.3 Stress	211
4.4.4 Anxiety	217
4.5 Limitations, Future Directions & Conclusions	221
4.5.1 Limitations	221
4.5.2 Future Directions	222
4.5.3 Conclusions	223
Chapter 5 – Electroencephalography and its prediction of cognitive performance	225
5.1 Introduction	225
5.2 Materials and Methods	227

5.2.1 Analysis	227
5.3 Results	229
5.3.1. Global Cognitive Performance	229
5.3.2 Attention	246
5.3.3 Memory.....	253
5.3.4 Judgement	263
5.4 Discussion	271
5.4.1 Prediction of Global cognitive performance.....	272
5.4.2 Prediction of Attention domain performance	273
5.4.3 Prediction of Memory domain performance.....	275
5.4.4 Prediction of Judgment domain performance.....	276
5.5 Limitations, Future Directions & Conclusions.....	278
5.5.1 Limitations	278
5.5.2 Future directions	278
5.5.3 Conclusions.....	279
Chapter 6 – Conclusions	281
X. References	285
XI. Appendices.....	315
1. Recruitment Posters.....	315
1.1 Non-health professionals	315
1.2 Nurses	316
2. Consent Form	317
3. Emergency Protocol	318

V. List of Figures

Figure 1.1 – Stress; a conceptual framework.....	7
Figure 1.2 – The sympathetic nervous system.....	12
Figure 1.3 – The hypothalamic pituitary adrenal axis	13
Figure 1.4 – Regulation of the Hypothalamic pituitary adrenal axis by other brain structures	15
Figure 1.5 – Diagrammatic representation of the relationships between concepts that were investigated in the current research.	42
Figure 2.1 – Automated method for measuring brachial blood pressure.....	49
Figure 2.2 – Laboratory and electroencephalogram set-up of the present research.....	53
Figure 2.3 – The Stroop Test.....	55
Figure 2.4 – Diagrammatic representation of the experimental protocol	63
Figure 3.1 – Flexcomp Infiniti electroencephalogram encoder and electrodes	74
Figure 3.2 – A top-down view of the relevant electrode placements of the International 10-20 System.....	75
Figure 3.3 – A two lead bipolar electroencephalogram recording.....	76
Figure 3.4 – The average time domain electroencephalography values of both sample groups for the two experimental phases.....	85
Figure 3.5 – The average frequency domain electroencephalography power values of both sample groups for the two experimental phases	87
Figure 4.1 – Experimental equipment and set up.....	143
Figure 4.2 – 32 channel electroencephalogram electrode locations	144
Figure 4.3 – A 32 channel unipolar electroencephalogram recording	145
Figure 4.4 – The average values of delta electroencephalographic variables across the two experimental phases for both sample groups	156
Figure 4.5 – The average values of theta electroencephalographic variables across the two experimental phases for both sample groups	157
Figure 4.6 – The average values of alpha electroencephalographic variables across the two experimental phases for both sample groups	160
Figure 4.7 – The average values of beta electroencephalographic variables across the two experimental phases for both sample groups	161
Figure 4.8 – The average values of gamma electroencephalographic variables across the two experimental phases for both sample groups	162
Figure 5.1 - Normalised LASSO weights for the global cognitive performance (as measured by the Cognistat) of the non-health professional group.....	235
Figure 5.2 – Normalised LASSO weights for the global cognitive performance (as measured by the MMSE) of the nurse group	239

Figure 5.3 – Normalised LASSO weights for the global cognitive performance (as measured by the Cognistat) of the nurse group.....	244
Figure 5.4 – Normalised LASSO weights for the Attention domain performance of nurse group.....	251
Figure 5.5 – Normalised LASSO weights for the Memory domain performance of the non-health professional group.....	255
Figure 5.6 – Normalised LASSO weights for the Memory domain performance of the nurse group.....	260
Figure 5.7 – Normalised LASSO weights for the Judgement domain performance of the non-health professional group.....	266
Figure 5.8 – Normalised LASSO weights for the Judgement domain performance of the nurse group.....	269

VI. List of Tables

Table 1.1 – Summary of research studies examining stress, and the impacts it has on the brain and cognitive performance.....	22
Table 1.2 – Summary of research studies that examined the impact of anxiety on cognitive performance.....	30
Table 1.3 – Summary of a number of research studies examining the spectral electroencephalographic manifestations of cognitive impairment.....	40
Table 2.1 – Blood pressure inclusion and exclusion thresholds	47
Table 2.2 – Cognistat cognitive profile and respective impairment threshold scores	59
Table 3.1 – Demographic data and intergroup comparisons of the two study sample groups.....	79
Table 3.2 – The differences in pre and post study measures of blood pressure and fatigue for both sample groups.....	80
Table 3.3 – The global and domain specific cognitive performance scores of the two study sample groups.....	82
Table 3.4 – The Stroop test performance outcomes of both of study sample groups	83
Table 3.5 – The associations between age and Stroop test performance in the two study sample groups	84
Table 3.6 – The top 5 contributing electroencephalography variables per principal component in the non-health professional group	88
Table 3.7 – The top 5 contributing electroencephalography variables per principal component in the nurse group	89
Table 3.8 – The self-reported stress scores of the two study sample groups	90
Table 3.9 – The associations between stress and demographic variables of the non-health professional group	91
Table 3.10 – The associations between stress and self-reported negative mental state scores of the non-health professional group.....	92
Table 3.11 – The associations between stress and self-reported coping strategy utilisation of the non-health professional group	93
Table 3.12 – The associations between stress and Stroop test performance outcomes of the non-health professional group.....	94
Table 3.13 – The associations between stress (as measured by LAQ P2) and cognitive performance variables of the non-health professional group	95
Table 3.14 – The associations between stress (as measured by DASS-S) and cognitive performance variables of the non-health professional group	96
Table 3.15 – The associations between stress (as measured by LAQ P2) and electroencephalography variables of the non-health professional group.....	97
Table 3.16 – Regression analysis for stress (LAQ-P2) and significantly correlated electroencephalography variables in the non-health professional group	98

Table 3.17 – The associations between stress (as measured by DASS-S) and electroencephalography variables of the non-health professional group	99
Table 3.18 – Regression analysis for stress (DASS-S) and significantly correlated electroencephalography variables in the non-health professional group	100
Table 3.19 – The associations between stress (as measured by LAQ P2) and demographic variables of the nurse group	101
Table 3.20 – The associations between stress (as measured by LAQ P2) and self-reported negative mental state scores of the nurse group	102
Table 3.21 – The associations between stress and self-reported coping strategy utilisation of the nurse group.....	103
Table 3.22 – The associations between stress (as measured by LAQ P2) and Stroop test performance outcomes of the nurse group	104
Table 3.23 – The associations between stress (as measured by LAQ P2) and cognitive performance variables of the nurse group	105
Table 3.24 – The associations between stress (as measured by DASS-S) and cognitive performance variables of the nurse group	106
Table 3.25 – The associations between stress (as measured by LAQ P2) and electroencephalography variables of the nurse group	107
Table 3.26 – The associations between stress (as measured by DASS-S) and electroencephalography variables of the nurse group	109
Table 3.27 – Regression analysis for stress (DASS-S) and significantly correlated electroencephalography variables in the nurse group	110
Table 3.28 – The self-reported anxiety scores of the two study sample groups	111
Table 3.29 – The associations between anxiety (as measured by DASS-A) and demographic variables of the non-health professional group	112
Table 3.30 – The associations between anxiety (as measured by DASS-A) and self-reported stress scores of the non-health professional e group.....	112
Table 3.31 - The associations between anxiety and self-reported coping strategy utilisation of the non-health professional group	113
Table 3.32 – The associations between anxiety (as measured by DASS-A) and Stroop test performance outcomes of the non-health professional group	113
Table 3.33 – The associations between anxiety (as measured by DASS-A) and cognitive performance variables of the non-health professional group	114
Table 3.34 – The associations between anxiety (as measured by DASS-A) and electroencephalography variables of the non-health professional group	115
Table 3.35 – The associations between anxiety (as measured by DASS-A) and demographic variables of the nurse group	116
Table 3.36 – The associations between anxiety and self-reported stress scores of the nurse group.....	116
Table 3.37 – The associations between anxiety and self-reported coping strategy utilisation of the nurse group.....	117

Table 3.38 – The associations between anxiety and Stroop test performance outcomes of the nurse group.....	117
Table 3.39 – The associations between anxiety and cognitive performance variables of the nurse group.....	118
Table 3.40 – The associations between anxiety and electroencephalography variables of the nurse group.....	119
Table 3.41 – Regression analysis for anxiety and significantly correlated electroencephalography variables in the nurse sample group.....	120
Table 4.1 – Demographic data and intergroup comparison of the two study sample groups.....	149
Table 4.2 – Differences in pre and post study measures of blood pressure and fatigue for both sample groups	150
Table 4.3 – The global and domain specific cognitive performance scores of the two study sample groups.....	152
Table 4.4 – The Stroop test performance variables of both of study sample groups	153
Table 4.5 – The associations between age and Stroop test performance in both sample groups.....	154
Table 4.6 – The top 5 contributing electroencephalography variables per principal component in the non-health professional group	164
Table 4.7 – The top 5 contributing electroencephalography variables per principal component in the nurse group.....	165
Table 4.8 – The self-reported stress scores of the two study sample groups	166
Table 4.9 – The associations between stress (as measured by LAQ P2) and demographic variables of the non-health professional group	167
Table 4.10 – The associations between stress and self-reported negative mental state scores of the non-health professional group.....	168
Table 4.11 – The associations between stress and self-reported coping strategy utilisation of the non-health professional group	169
Table 4.12 – The associations between stress and Stroop test performance outcomes of the non-health professional group.....	170
Table 4.13 – The associations between stress (as measured by LAQ P2) and cognitive performance variables of the non-health professional group.....	171
Table 4.14 – The associations between stress (as measured by DASS-S) and cognitive performance variables of the non-health professional group.....	172
Table 4.15 – The associations between stress (as measured by LAQ P2) and electroencephalography variables of the non-health professional group.....	174
Table 4.16 – Regression analysis for stress (LAQ P2) and significantly correlated electroencephalography variables in the non-health professional group.....	176
Table 4.17 – The associations between stress (as measured by DASS-S) and electroencephalography variables of the non-health professional group.....	178

Table 4.18 – Regression analysis for stress (DASS-S) and significantly correlated electroencephalography variables in the non-health professional group	179
Table 4.19 – The associations between stress and demographic variables in the nurse group	180
Table 4.20 – The associations between stress and self-reported negative mental state scores in the nurse group	181
Table 4.21 – The associations between stress and self-reported coping strategy utilisation of the nurse group	182
Table 4.22 – The associations between stress (as measured by LAQ P2) and Stroop test performance outcomes of the nurse group	183
Table 4.23 – The associations between stress (as measured by LAQ P2) and cognitive performance variables of the nurse group	184
Table 4.24 – The associations between stress (as measured by DASS-S) and cognitive performance variables of the nurse group	185
Table 4.25 – The associations between stress (as measured by LAQ P2) and electroencephalography variables in the nurse group	186
Table 4.26 – Regression analysis for stress (LAQ P2) and significantly correlated electroencephalography variables in the nurse group	187
Table 4.27 – The associations between stress (as measured by DASS-S) and electroencephalography variables in the nurse group	190
Table 4.28 – Regression analysis for stress (DASS-S) and significantly correlated electroencephalography variables in the nurse group	192
Table 4.29 – The self-reported anxiety scores of the two study sample groups	193
Table 4.30 – The associations between anxiety and demographic variables of the non-health professional group	194
Table 4.31 – The associations between anxiety (as measured by DASS-A) and self-reported stress scores of the non-health professional group	194
Table 4.32 – The associations between stress and self-reported coping strategy utilisation of the non-health professional group	195
Table 4.33 – The associations between anxiety and Stroop test performance outcomes of the non-health professional group	195
Table 4.34 – The associations between anxiety and cognitive performance variables of the non-health professional group	196
Table 4.35 – The associations between anxiety and electroencephalography variables of the non-health professional group	197
Table 4.36 – Regression analysis for anxiety and significantly correlated electroencephalography variables in the non-health professional group	198
Table 4.37 – The associations between anxiety and demographic variables of the nurse group	199
Table 4.38 – The associations between anxiety and self-reported stress scores of the nurse group	200

Table 4.39 - The associations between anxiety and self-reported coping strategy utilisation of the nurse group.....	200
Table 4.40 – The associations between anxiety and Stroop test performance outcomes of the nurse sample group.....	201
Table 4.41 – The associations between anxiety and cognitive performance variables of the nurse group.....	202
Table 4.42 – The associations between anxiety and electroencephalography variables in the nurse group.....	205
Table 4.43 – Regression analysis for anxiety and significantly correlated electroencephalography variables in the nurse group	206
Table 5.1 – The associations between global cognitive performance (as measured by MMSE) and electroencephalography variables of the non-health professional group .	231
Table 5.2 – Regression analysis for global cognitive performance (as measured by the MMSE) and significantly correlated electroencephalography variables in the non-health professional group	232
Table 5.3 – The associations between global cognitive performance (as measured by the Cognistat) and electroencephalography variables of the non-health professional group	234
Table 5.4 – Regression analysis for global cognitive performance (as measured by the Cognistat) and significantly correlated electroencephalography variables in the non-health professional group	236
Table 5.5 – The associations between global cognitive performance (as measured by MMSE) and electroencephalography variables of the nurse group	238
Table 5.6 – Regression analysis for global cognitive performance (as measured by the MMSE) and significantly correlated electroencephalography variables in the nurse group	240
Table 5.7 – The associations between global cognitive performance (as measured by the Cognistat) and electroencephalography variables of the nurse sample group	242
Table 5.8 – Regression analysis for global cognitive performance (as measured by the Cognistat) and significantly correlated electroencephalography variables in the nurse group	245
Table 5.9 – The associations between Attention domain performance and electroencephalography variables of the non-health professional group	247
Table 5.10 – Regression analysis for Attention domain performance and significantly correlated electroencephalography variables in the non-health professional group	248
Table 5.11 – The associations between Attention domain performance and electroencephalography variables of the nurse group	250
Table 5.12 – Regression analysis for Attention domain performance and significantly correlated electroencephalography variables in the nurse group	252
Table 5.13 – The associations between Memory domain performance and electroencephalography variables of the non-health professional group	254

Table 5.14 – Regression analysis for Memory domain performance and significantly correlated EEG variables in the non-health professional group.....	256
Table 5.15 – The associations between Memory domain performance and electroencephalography variables of the nurse group.....	259
Table 5.16 – Regression analysis for Memory domain and significantly correlated electroencephalography variables in the nurse group	262
Table 5.17 – The associations between Judgment domain performance and electroencephalography variables of the non-health professional group.....	264
Table 5.18 – Regression analysis for Judgement domain performance and significantly correlated electroencephalography variables in the non-health professional group	267
Table 5.19 – The associations between Judgement domain performance and electroencephalography variables of the nurse group.....	268
Table 5.20 – Regression analysis for Judgement domain performance and significantly correlated electroencephalography variables in the nurse group	270

VII. List of Equations

Equation 4.1 – Modified Z-score statistic	146
Equation 4.2 – Median absolute deviation	147
Equation 5.1 – Least absolute shrinkage and selection operator (LASSO) equation ...	228

VIII. List of Abbreviations

A – Auricular	IIR – Infinite Impulse Response
ACTH – Adrenocorticotrophic hormone	LAQ – Lifestyle Appraisal
AD – Alzheimer’s Disease	Questionnaire
AIN – Assistant in Nursing	LASSO – Least Absolute Shrinkage
AUD – Australian Dollars	Selection Operator
AVP – Arginine vasopressin	mmHg – Millimetres mercury
BMI – Body Mass Index	MCI – Mild Cognitive Impairment
BP – Blood pressure	MMSE – Mini-mental State Exam
C – Central	MRI – Magnetic Resonance Imaging
CRH – Corticotropin releasing hormone	NHP – Non-health Professional
DASS – Depression, Anxiety, Stress,	O – Occipital
Scale	OCD – Obsessive Compulsive Disorder
EEG – Electroencephalography	P – Parietal
EN – Enrolled Nurse	PCA – Principal Component Analysis
EOG - Electrooculogram	PD – Panic Disorder
ERP – Event Related Potential	RN – Registered Nurse
F – Frontal	SNS – Sympathetic Nervous System
Fp – Frontal Pole	SSI – Standard Shiftwork Index
GAD – Generalised Anxiety Disorder	T – Temporal
HPA – Hypothalamic Pituitary Adrenal	UTS – University of Technology
Axis	Sydney
HR – Heart Rate	WCCL – Ways of Coping Checklist
HREC – Human research ethics	
committee	

IX. Abstract

Stress and anxiety both have demonstrable impact, causing neuronal damage and death (Sapolsky, 1996, Conrad, 2006), functional connectivity changes (Bishop, 2009, Andreescu et al., 2014), and various cognitive impairments (de Quervain et al., 2000, Savage et al., 2000, Wetzel et al., 2006, Henderson et al., 2012, Nieuwenhuys et al., 2015). However, despite demonstrated quality of care reductions (Sveinsdóttir et al., 2006, Berland et al., 2008) and calls for further research (LeBlanc, 2009, Lees and Lal, 2017), a limited amount of research investigating the impact of stress and anxiety on the cognitive performance of health professionals has been conducted (LeBlanc, 2009). Therefore, the aim of the present study was to examine the relationships between stress, anxiety and cognitive performance in health professionals via comprehensive psychometric and electroencephalography (EEG) assessment; as well as assess the predictive capability of EEG in measuring cognitive performance.

Presently, this doctoral research reports on results obtained by analysing data from 118 nurses and 144 non-health professionals. The experimental protocol commenced by capturing participant demographic data, such as, blood pressure, heart rate, as well as hip and waist measurements, followed by the completion of pre-study questionnaires including the Lifestyle Appraisal questionnaire (Craig et al., 1996), the Depression, Anxiety, Stress scale (Lovibond and Lovibond, 1995b), and the Fatigue State Question (Lal and Craig, 2002). Following this, a two lead bipolar or 32 lead monopolar EEG was captured during a resting baseline and a Stroop test based active phase. After the electroencephalogram recording, psychometric cognitive performance was assessed by the Mini-Mental State Examination (Folstein et al., 1975) and the Cognistat (Mueller et al., 2007). Participants then completed the revised Ways of Coping Checklist (Vitaliano et al., 1985), and the Fatigue State Question, again for the latter. Nurse participants also

completed parts of the Standard Shiftwork Index (Barton et al., 1995). Lastly, participant's blood pressure was again recorded and the experiment concluded.

The results indicate that both non-health professionals and nurses experience stress and anxiety. In both groups, a stress level within the normal range was significantly associated ($p < 0.05$) with increased memory performance and delta activity, while theta and beta activity increases were similarly implicated for the nurse group only. However, with an increase in stress levels, stress was associated with increased judgement performance and fronto-temporal and parietal gamma activity, as well as reduced fronto-temporal delta activity in non-health professionals. Additionally, impaired memory performance as well as fronto-central delta, fronto-temporal and parietal gamma, and fronto-central and temporal beta activity increases were associated with this increased stress in nurses.

With respect to anxiety, it was associated with increased lifestyle risk factors, impaired global, attention, and memory domain performance, as well as delta, alpha and gamma activity changes in non-health professionals. Comparatively, in nurses anxiety was associated with improved Stroop test performance, global cognitive performance and delta and gamma activity, as well as impaired memory performance. Lastly, it was found that global cognitive performance could be predicted by a combination of fast wave EEG activity variables ($R^2 \geq 0.440$; $p \leq 0.013$). Similarly, unique combinations of EEG variables from the 5 investigated frequency bands predicted, in varying degrees, attention ($R^2 \geq 0.204$; $p \leq 0.014$), memory ($R^2 \geq 0.443$, $p \leq 0.010$) and judgement ($R^2 \geq 0.407$; $p \leq 0.001$) domain performance.

Collectively, these findings provide an insight into the cognitive impact of stress and anxiety, and determine a unique impact profile of stress and anxiety for both non-health

professionals and nurses. Additionally, they demonstrate the multifaceted nature of the relationship between stress, anxiety and cognitive performance, where both improvements and impairments are observed. Further understanding the impact of stress and anxiety on cognitive performance may enable the development and implementation of management and intervention strategies to preserve the cognitive health of health professionals, and in turn, ensure quality of patient care and reduce adverse medical event incidence. Further, it may be possible to use EEG activity to predict early cognitive impairment, which has strong implications for developing diagnostic measures for cognitive impaired states such as dementia and Alzheimer's disease.